



PROVISIONAL

ODISHA UNIVERSITY OF HEALTH SCIENCES, BHUBANESWAR

Office: Sishu Bhawan Square, Bapuji Nagar, Bhubaneswar, Pin- 751009
Web Site: www.ouhs.ac.in E-mail: ouhs2022@gmail.com / ouhs@ouhs.ac.in Tel: 0674-2917266

OUHS / Exam / 1173/ 2024 No 9615 / OUHS,


Date: 30-09-2024

NOTIFICATION

It is hereby notified that the candidates at Annexure-1 are provisionally declared to have passed the 1st Professional MBBS (Regular) Examination 2023-24 held in the month of AUGUST 2024. The results published are provisional and subject to modification after post- publication scrutiny. Any mistake/discrepancy detected should be brought to the notice of the Controller of Examinations, OUHS, Bhubaneswar within 30 days from the date of publication of the results. No request shall be entertained after 30 days of the publication of the results.

1. NUMBER OF CANDIDATES ENROLLED:	1586
2. NUMBER OF CANDIDATES APPEARED:	1586
3. NUMBER OF CANDIDATES ABSENT:	NIL
4. NUMBER OF CANDIDATES PASSED:	1442
5. NUMBER OF CANDIDATES FAILED:	144
6. WITH-HELD FOR OTHER REASONS:	NIL
7. PERCENTAGE OF PASS:	90.92%
8. NUMBER OF CENTRES:	12

By Order of Vice-Chancellor


CONTROLLER OF EXAMINATIONS

Memo No. 9616 / OUHS

Date: 30-09-2024

Copy Forward to

1. The Dean/ Principals of all Medical Colleges Affiliated under OUHS, Bhubaneswar.
2. OSD to Vice-Chancellor, OUHS, Bhubaneswar.
3. Registrar of OUHS, Bhubaneswar.
4. Comptroller of Finance of OUHS, Bhubaneswar.


CONTROLLER OF EXAMINATIONS

TABULATION REGISTER

1ST PROFESSIONAL MBBS EXAMINATION (REGULAR) BATCH 2023-24

BHIMA BHOI MEDICAL COLLEGE & HOSPITAL, BOLANGIR

	Roll No. / Regd. No.	ANATOMY						PHYSIOLOGY					BIOCHEMISTRY					Pass / Fail	Total
		PAPER 1	PAPER 2	TOTAL	PRAC	TOTAL	PAPER 1	PAPER 2	TOTAL	PRAC	TOTAL	PAPER 1	PAPER 2	TOTAL	PRAC	TOTAL			
																	TH		
		FM	100	100	200	100	300	100	100	200	100	300	100	100	200	100	300		
		PM			80	40	150			80	40	150			80	40	150		
1	23BM118001		76	42	118	72	190	67	72	139	69	208	51	62	113	84	197	Pass	595
2	23BM118002		84	51	135	75	210	64	66	130	72	202	54	65	119	79	198	Pass	610
3	23BM118003		78	46	124	73	197	66	67	133	63	196	56	60	116	88	204	Pass	597
4	23BM118004		82	52	134	71	205	61	61	122	63	185	57	59	116	84	200	Pass	590
5	23BM118005		76	44	120	73	193	52	68	120	64	184	49	53	102	84	186	Pass	563
6	23BM118006		76	47	123	70	193	58	60	118	62	180	52	41	93	83	176	Pass	549
7	23BM118007		72	52	124	70	194	58	54	112	61	173	56	60	116	83	199	Pass	566
8	23BM118008		80	52	132	72	204	62	69	131	68	199	50	56	106	85	191	Pass	594
9	23BM118009		71	49	120	71	191	60	42	102	59	161	64	42	106	82	188	Pass	540
10	23BM118010		79	78	157	71	228	63	61	124	67	191	76	57	133	82	215	Pass	634
11	23BM118011		63	54	117	70	187	58	61	119	61	180	74	38	112	78	190	Pass	557
12	23BM118012		77	62	139	71	210	62	61	123	66	189	79	57	136	83	219	Pass	618
13	23BM118013		79	70	149	72	221	66	60	126	62	188	70	55	125	80	205	Pass	614
14	23BM118014		69	65	134	71	205	62	61	123	62	185	77	48	125	77	202	Pass	592
15	23BM118015		70	69	139	72	211	68	60	128	70	198	77	56	133	83	216	Pass	625
16	23BM118016		67	56	123	71	194	61	59	120	66	186	71	54	125	71	196	Pass	576
17	23BM118017		65	46	111	71	182	60	57	117	58	175	54	40	94	71	165	Pass	522
18	23BM118018		73	51	124	72	196	63	60	123	64	187	74	37	111	71	182	Pass	565
19	23BM118019		79	69	148	75	223	72	58	130	66	196	71	57	128	87	215	Pass	634
20	23BM118020		79	69	148	71	219	80	59	139	64	203	78	60	138	80	218	Pass	640
21	23BM118021		77	78	155	82	237	86	61	147	64	211	82	63	145	89	234	Pass	682
22	23BM118022		73	69	142	73	215	73	61	134	66	200	71	49	120	83	203	Pass	618
23	23BM118023		55	56	111	72	183	68	54	122	67	189	55	44	99	77	176	Pass	548
24	23BM118024		68	53	121	77	198	73	58	131	66	197	74	51	125	85	210	Pass	605
25	23BM118025		74	67	141	72	213	69	61	130	62	192	71	52	123	86	209	Pass	614
26	23BM118026		69	69	138	72	210	67	59	126	70	196	74	54	128	83	211	Pass	617
27	23BM118027		73	70	143	73	216	69	61	130	71	201	69	46	115	86	201	Pass	618
28	23BM118028		73	58	131	70	201	70	61	131	69	200	69	48	117	77	194	Pass	595
29	23BM118029		72	63	135	72	207	62	59	121	69	190	69	54	123	86	209	Pass	606
30	23BM118030		74	62	136	73	209	69	59	128	69	197	71	50	121	86	207	Pass	613
31	23BM118031		47	45	92	71	163	66	56	122	64	186	61	37	98	82	180	Pass	529
32	23BM118032		65	59	124	70	194	74	58	132	65	197	72	42	114	73	187	Pass	578

33	23BM118033		71	54	125	70	195	67	55	122	60	182	65	50	115	73	188	Pass	565
34	23BM118034		69	53	122	71	193	67	61	128	66	194	69	61	130	69	199	Pass	586
35	23BM118035		76	78	154	77	231	75	61	136	77	213	77	47	124	85	209	Pass	653
36	23BM118036		70	65	135	78	213	73	61	134	65	199	70	58	128	77	205	Pass	617
37	23BM118037		76	74	150	71	221	70	61	131	73	204	75	62	137	82	219	Pass	644
38	23BM118038		75	71	146	73	219	77	60	137	68	205	77	60	137	83	220	Pass	644
39	23BM118039		72	80	152	77	229	80	61	141	71	212	79	52	131	84	215	Pass	656
40	23BM118040		68	63	131	73	204	66	61	127	66	193	71	50	121	78	199	Pass	596
41	23BM118041		72	77	149	71	220	71	61	132	71	203	74	63	137	84	221	Pass	644
42	23BM118042		69	65	134	71	205	75	61	136	74	210	80	59	139	75	214	Pass	629
43	23BM118043		65	69	134	71	205	69	61	130	73	203	72	56	128	82	210	Pass	618
44	23BM118044		62	67	129	73	202	67	61	128	71	199	68	54	122	82	204	Pass	605
45	23BM118045		54	54	108	71	179	63	61	124	73	197	55	35	90	79	169	Pass	545
46	23BM118046		69	59	128	73	201	68	61	129	69	198	54	45	99	77	176	Pass	575
47	23BM118047		54	53	107	73	180	61	59	120	65	185	61	43	104	61	165	Pass	530
48	23BM118048		66	65	131	70	201	71	61	132	72	204	61	49	110	79	189	Pass	594
49	23BM118049		74	67	141	70	211	73	61	134	74	208	59	57	116	76	192	Pass	611
50	23BM118050		75	67	142	72	214	66	61	127	69	196	62	53	115	82	197	Pass	607
51	23BM118051		72	55	127	73	200	64	60	124	70	194	68	57	125	85	210	Pass	604
52	23BM118052		73	73	146	72	218	68	60	128	72	200	71	58	129	81	210	Pass	628
53	23BM118053		71	62	133	73	206	67	59	126	69	195	68	38	106	84	190	Pass	591
54	23BM118054		55	65	120	73	193	61	61	122	69	191	62	41	103	75	178	Pass	562
55	23BM118055		47	54	101	71	172	61	62	123	69	192	64	43	107	75	182	Pass	546
56	23BM118056		58	60	118	73	191	60	59	119	69	188	62	46	108	77	185	Pass	564
57	23BM118057		33	31	64	71	135	60	61	121	65	186	59	37	96	72	168	Fail	489
58	23BM118058		61	60	121	72	193	67	54	121	67	188	58	49	107	78	185	Pass	566
59	23BM118059		43	41	84	71	155	42	49	91	64	155	26	22	48	72	120	Fail	430
60	23BM118060		71	66	137	73	210	73	63	136	71	207	62	54	116	76	192	Pass	609
61	23BM118061		46	58	104	71	175	70	40	110	65	175	40	41	81	69	150	Pass	500
62	23BM118062		54	60	114	73	187	74	39	113	69	182	46	53	99	69	168	Pass	537
63	23BM118063		78	61	139	75	214	74	50	124	69	193	55	65	120	78	198	Pass	605
64	23BM118064		79	63	142	72	214	73	56	129	68	197	61	60	121	81	202	Pass	613
65	23BM118065		78	73	151	72	223	71	51	122	71	193	72	42	114	75	189	Pass	605
66	23BM118066		60	58	118	72	190	69	42	111	70	181	65	55	120	78	198	Pass	569
67	23BM118067		78	63	141	71	212	73	50	123	63	186	67	59	126	83	209	Pass	607
68	23BM118068		72	77	149	72	221	66	64	130	58	188	69	53	122	79	201	Pass	610
69	23BM118069		80	78	158	73	231	71	62	133	61	194	68	65	133	84	217	Pass	642
70	23BM118070		56	54	110	71	181	69	58	127	61	188	71	56	127	84	211	Pass	580
71	23BM118071		25	8	33	70	103	21	12	33	50	83	11	9	20	40	60	Fail	246
72	23BM118072		78	60	138	72	210	69	53	122	65	187	68	50	118	81	199	Pass	596
73	23BM118073		77	70	147	71	218	75	50	125	60	185	68	50	118	78	196	Pass	599

74	23BM118074		64	63	127	72	199	67	45	112	61	173	47	45	92	83	175	Pass	547
75	23BM118075		55	40	95	71	166	58	46	104	60	164	40	22	62	72	134	Fail	464
76	23BM118076		59	66	125	72	197	70	47	117	54	171	53	54	107	82	189	Pass	557
77	23BM118077		80	79	159	72	231	72	58	130	63	193	75	68	143	84	227	Pass	651
78	23BM118078		50	56	106	70	176	56	50	106	55	161	43	44	87	75	162	Pass	499
79	23BM118079		49	62	111	71	182	63	40	103	60	163	56	38	94	70	164	Pass	509
80	23BM118080		67	59	126	72	198	54	57	111	63	174	57	42	99	80	179	Pass	551
81	23BM118081		57	61	118	70	188	45	41	86	54	140	43	27	70	79	149	Fail	477
82	23BM118082		35	34	69	71	140	40	22	62	53	115	32	14	46	56	102	Fail	357
83	23BM118083		53	47	100	70	170	50	34	84	56	140	43	26	69	70	139	Fail	449
84	23BM118084		55	63	118	70	188	40	38	78	53	131	40	35	75	54	129	Fail	448
85	23BM118085		51	53	104	70	174	40	35	75	54	129	46	30	76	59	135	Fail	438
86	23BM118086		67	61	128	71	199	77	52	129	63	192	65	46	111	76	187	Pass	578
87	23BM118087		79	69	148	71	219	69	60	129	63	192	56	56	112	83	195	Pass	606
88	23BM118088		60	57	117	70	187	66	42	108	62	170	56	52	108	70	178	Pass	535
89	23BM118089		32	45	77	70	147	45	37	82	58	140	48	26	74	65	139	Fail	426
90	23BM118090		79	73	152	74	226	77	45	122	66	188	76	70	146	88	234	Pass	648
91	23BM118091		74	50	124	74	198	63	60	123	65	188	66	55	121	80	201	Pass	587
92	23BM118092		63	57	120	70	190	66	53	119	66	185	58	42	100	84	184	Pass	559
93	23BM118093		68	40	108	72	180	55	42	97	66	163	61	32	93	78	171	Pass	514
94	23BM118094		53	47	100	72	172	60	47	107	63	170	50	36	86	70	156	Pass	498
95	23BM118095		71	61	132	73	205	52	57	109	65	174	64	44	108	83	191	Pass	570
96	23BM118096		74	56	130	72	202	64	58	122	62	184	66	61	127	82	209	Pass	595
97	23BM118097		60	56	116	71	187	58	58	116	60	176	52	42	94	79	173	Pass	536
98	23BM118098		73	59	132	71	203	65	62	127	67	194	73	62	135	85	220	Pass	617
99	23BM118099		62	59	121	72	193	55	41	96	57	153	60	47	107	69	176	Pass	522
100	23BM118100		68	69	137	73	210	59	56	115	67	182	64	57	121	85	206	Pass	598